



????????????????????? ??????????
????????????? ?????????? ?????????? 450 ?
????????? ?????????? ?????????? ??????????

????????? :

????????? ?????	PYRAMID
????? ????????????????	?????
????????????? ??????	1
????????? ????????	OEM?ODM?OBM
????????????? ????????????	5000 ???/???? ? ????
????????????? ??????????	3-7 ????
?????????	100 ???/???

????????? ?????????? :

???????????????	????????????????????? ?????????? ?????????? ?????????? ?????????? 450 ? ??????????
??????	????????? ?????????? ??????????
??? ????????	?????
??? ????????	PYRAMID
?????????????	?????????, ??????, ??????, ??????, ??????????, ??????????, ??????????
???????	????????????/????????????????? (?????? ????? ??????????????)
???????????	???????, ?????? ??? ?? ??????? ????????
?????????????	ISO9001
????????? ????????	30% ??????? ??????? ?????? ????????????
???????????????	????? ??????????, ??????????????, ??????????????, ??????????????????, ????????????????????



High cold explosion-proof
gas tank
Camping in the wild cooks



Propane (25%) Isobutane (75%)

Net weight 450g(large pot)/230g(small pot)



Quick use of gas tank step demonstration

Easy to operate, easy to use and secure



Step 1

Remove the cylinder and place it on a flat floor



»

Step 2

Force the helmet upwards and connect the gas tank to the stove



»

Step 3

Rotary switch control can realize free cooking